

Product Number:
DCPT01-DCPT12

Material Safety Data Sheet
U.S. Department of Labor

Page 1 of 3

May be used to comply with Occupational Safety and Health Administration's Hazard Communication Standard, 29CFR 1910.1200. See standard for specific requirements.

SECTION 1

Manufacturer's Name: DecoArt, Inc.
Address: Junction Hwys 150 & 27; Stanford, KY 40484
Phone Number: (606) 365-3193
Emergency Contact: Chemtrec
(800) 424-9300
International Emergency Contact: Chemtrec
(703) 527-3887
Date Prepared: 3/27/2003
Chemical Name: Mixture
Trade Name: Patio Paint Texturals
Product Family: Acrylic Latex Paint
Label Certification: AP
Major Intended Uses: Art and craft paint for decorative painting projects.

SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

This product contains no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

SECTION 3 - HAZARDS IDENTIFICATION

Route(s) of entry: Inhalation: No; Skin: Yes; Ingestion: Yes
Health Hazards
(Acute and Chronic): None expected for product
Signs and Symptoms of Exposure: EYES: May exhibit redness and primary irritation.
SKIN: Some irritation may occur.

SECTION 4 – FIRST AID MEASURES

EYES: Flush with clean water for 15 minutes.
SKIN: Wash with soap and water

SECTION 5 – FIRE-FIGHTING MEASURES

Extinguishing Media: Water spray, dry chemical, foam, CO2
Special Fire Fighting Procedures: Water or foam may cause frothing if directed into containers or burning liquid. Fire fighters should wear Protective clothing. Use water spray to keep fire exposed containers cool.

Unusual Fire and Explosion Hazards: Burning plastic containers may emit hazardous fumes.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Steps To Be Taken in Case Material Released or Spilled: Small spills may be picked up with absorbent material and transferred to containers. Scoop up large spills for salvage or landfilling.

SECTION 7 – HANDLING AND STORAGE

Precautions to Be Taken in Handling and Storing: Store away from high temperatures and flames

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection (Specify Type): None generally required
 Ventilation: Local exhaust recommended
 Special: NA
 Other: NA
 Protective Gloves: None required
 Eye Protection: Goggles recommended
 Other Protective Clothing or Equipment: Eye wash station should be available

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

pH 8.0 to 9.0
 Boiling Point Range: +212
 Flash Point (Method Used): N/A
 Flammable Limits: N/A
 LEL: N/A
 UEL: N/A
 Oxidizing Properties: N/A
 Vapor Pressure (mm Hg.): >1
 Specific Gravity (H₂O=1): 1.1
 Percent Volatile by volume (%): 60
 Solubility in Water: Soluble
 Appearance and Odor: Liquid, characteristic chalky odor
 Vapor Density: N/A
 Evaporation Rate (Butyl Acetate=1): >1

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable
 Conditions to Avoid: None

Incompatibility (Materials to Avoid): Avoid contact with strong oxidizing agents

Hazardous Decomposition Byproducts: Usual products of combustion: CO₂, CO and possibly acrolein.

Hazardous Polymerization: Will not occur

Conditions to Avoid: None

SECTION 11 – TOXICOLOGICAL INFORMATION

N/A

SECTION 12 – ECOLOGICAL INFORMATION

N/A

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Method: Carefully incinerate or use secure landfill in accordance with local, state and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

N/A

SECTION 15 – REGULATORY INFORMATION

N/A

SECTION 16 – OTHER INFORMATION

N/A